


TWO PANEL CENTRE OPENING




TECHNICAL INFORMATION:

- Door Architrave Assembly
- Door Panels
- Top Track Assembly
- Aluminium Bottom Track
- Door Lock
- Emergency Release Assembly
- Door Closing Spring

OPENING	CODE	PRICE	PRICE
		Green Epoxy	Stainless Steel
600	R2C + 600	£	£
700	R2C + 700	£	£
800	R2C + 800	£	£
900	R2C + 900	£	£
1000	R2C + 1000	£	£

TWO PANEL SIDE OPENING



TECHNICAL INFORMATION:

- Door Architrave Assembly
- Door Panels
- Top Track Assembly
- Aluminium Bottom Track
- Door Lock
- Emergency Release Assembly
- Door Closing Spring

OPENING	CODE	PRICE	PRICE
		Green Epoxy	Stainless Steel
600	R2D/I + 600	£	£
700	R2D/I + 700	£	£
800	R2D/I + 800	£	£
900	R2D/I + 900	£	£
1000	R2D/I + 1000	£	£

D = Right Hand, Doors Opening To The Right
I = Left Hand, Doors Opening To The Left

FREE CARRIAGE

(S.T.C)

TEL: 0116 266 2241


E-Mail: sales@elevatorequipment.co.uk



FAX: 0116 266 2242

www.elevatorequipment.co.uk

THREE PANEL SIDE OPENING




TECHNICAL INFORMATION:

- Door Architrave Assembly
- Door Panels
- Top Track Assembly
- Aluminium Bottom Track
- Door Lock
- Emergency Release Assembly
- Door Closing Spring

OPENING	CODE	PRICE	PRICE
		Green Epoxy	Stainless Steel
700	R3D/I + 700	£	£
800	R3D/I + 800	£	£
900	R3D/I + 900	£	£
1000	R3D/I + 1000	£	£

D = Right Hand, Doors Opening To The Right
I = Left Hand, Doors Opening To The Left

FOUR PANEL CENTRE OPENING



TECHNICAL INFORMATION:

- Door Architrave Assembly
- Door Panels
- Top Track Assembly
- Aluminium Bottom Track
- Door Lock
- Emergency Release Assembly
- Door Closing Spring


OPENING	CODE	PRICE	PRICE
		Green Epoxy	Stainless Steel
700	R4C + 700	£	£
800	R4C + 800	£	£
900	R4C + 900	£	£
1000	R4C + 1000	£	£

FREE CARRIAGE

(S.T.C)



TWO PANEL CENTRE OPENING




TECHNICAL INFORMATION:

- Complete Door Operator - VVVF
- Door Panels
- Door Coupling
- Hanger Assembly
- Car Door Contact
- Aluminium Bottom Track
- 800mm Toe Guard

OPENING	CODE	PRICE	
		Green Epoxy	Stainless Steel
600	V2C + 600	£	£
700	V2C + 700	£	£
800	V2C + 800	£	£
900	V2C + 900	£	£
1000	V2C + 1000	£	£

Door Motor: 230 Volt AC or 24 Volt DC

TWO PANEL SIDE OPENING



TECHNICAL INFORMATION:

- Complete Door Operator - VVVF
- Door Panels
- Door Coupling
- Hanger Assembly
- Car Door Contact
- Aluminium Bottom Track
- 800mm Toe Guard

OPENING	CODE	PRICE	
		Green Epoxy	Stainless Steel
600	V2D/I + 600	£	£
700	V2D/I + 700	£	£
800	V2D/I + 800	£	£
900	V2D/I + 900	£	£
1000	V2D/I + 1000	£	£

Door Motor: 230 Volt AC or 24 Volt DC

D = Right Hand, Doors Opening To The Right
I = Left Hand, Doors Opening To The Left

TEL: 0116 266 2241


E-Mail: sales@elevatorequipment.co.uk



FAX: 0116 266 2242

www.elevatorequipment.co.uk

THREE PANEL SIDE OPENING



TECHNICAL INFORMATION:


- Complete Door Operator - VVVF
- Door Panels
- Door Coupling
- Hanger Assembly
- Car Door Contact
- Aluminium Bottom Track
- 800mm Toe Guard

OPENING	CODE	PRICE	
		Green Epoxy	Stainless Steel
700	V3D/I + 700	£	£
800	V3D/I + 800	£	£
900	V3D/I + 900	£	£
1000	V3D/I + 1000	£	£

Door Motor: 230 Volt AC or 24 Volt DC

**D = Right Hand, Doors Opening To The Right
I = Left Hand, Doors Opening To The Left**

FOUR PANEL CENTRE OPENING



TECHNICAL INFORMATION:

- Complete Door Operator - VVVF
- Door Panels
- Door Coupling
- Hanger Assembly
- Car Door Contact
- Aluminium Bottom Track
- 800mm Toe Guard

OPENING	CODE	PRICE	
		Green Epoxy	Stainless Steel
700	V4/C + 700	£	£
800	V4/C + 800	£	£
900	V4/C + 900	£	£
1000	V4/C + 1000	£	£


Door Motor: 230 Volt AC or 24 Volt DC

**F
R
E
E

C
A
R
R
I
A
G
E**

HINGED LANDING DOOR WITH VISION PANEL

TECHNICAL INFORMATION:



PL	B	C	D
600	850	162	840
700	950	162	840
800	1050	162	840
900	1150	162	840
1000	1250	162	840

INFORMATION REQUIRED WHEN ORDERING:
 TYPE OF DOOR: LANDING SINGLE HINGED DOOR PACKAGE TYPE PSFMI/C OR PSFMI
 CLEAR OPENING (PL): 600 to 1000
 TYPE OF FINISH: GREEN EPOXY PAINTED
 LANDING DOOR TYPE: PSFMD - RIGHT HAND SHOWN
 (PSFMI LEFT HAND = MIRROR IMAGE)


- Door Architrave Assembly
- Door Panel With Vision Panel
- Door Lock
- Emergency Release Assembly
- Door Closing Spring
- 300mm Toe Guard

OPENING	CODE	PRICE
		Green Epoxy
650	PSFMD/I + 650	£
700	PSFMD/I + 700	£
800	PSFMD/I + 800	£
900	PSFMD/I + 900	£
1000	PSFMD/I + 1000	£

D = Right Hand, Doors Opening To The Right
 I = Left Hand, Doors Opening To The Left

HINGED LANDING DOOR

TECHNICAL INFORMATION:



PL	B
600	850
700	950
800	1050
900	1150
1000	1250


INFORMATION REQUIRED WHEN ORDERING:
 TYPE OF DOOR: LANDING SINGLE HINGED DOOR PACKAGE TYPE PSF/C OR PSF/I
 CLEAR OPENING (PL): 600 to 1000
 TYPE OF FINISH: GREEN EPOXY PAINTED
 LANDING DOOR TYPE: PSF/D - RIGHT HAND SHOWN
 (PSF/I LEFT HAND = MIRROR IMAGE)

- Door Architrave Assembly
- Door Panel
- Door Lock
- Emergency Release Assembly
- Door Closing Spring
- 300mm Toe Guard

OPENING	CODE	PRICE
		Green Epoxy
650	PSF/D/I + 650	£
700	PSF/D/I + 700	£
800	PSF/D/I + 800	£

D = Right Hand, Doors Opening To The Right
 I = Left Hand, Doors Opening To The Left

**FOLDING CAR BUS DOORS
TYPE MSC**



CEITA SRL

Ceita manufactures BUS DOORS for LIFTS.

The ELEMATIC Car Bus Door is the ideal solution for lift modernisation, especially when:

- a. Changing manual car mid-bar type sliding gates and hinged landing doors to carpower type doors, using the existing hinged landing doors (using the ELEMATIC Car Bus Doors).
- b. Changing manual car and landing mid-bar type sliding gates to power car and hinged landing doors.
- c. Changing manual car and landing mid-bar type sliding gates to power car and power landing doors.

Ceita Bus Doors are especially suited in a narrow shaft. Its movement of opening and closing does not restrict or interfere with the shaft.

The system is supplied as a standard one-piece module ready for fitting to the car.

The standard finish of the door panels is aluminium, with the steel hinges in an anodized silver finish, Other finishes can be supplied, e.g. brushed stainless steel (180 grit), colour enamelled, etc.

Various non-standard options can be supplied.

**PLEASE CONTACT OUR HEAD OFFICE
FOR PROMPT AND EFFICIENT SERVICE**

TEL: 0116 266 2241
E-Mail: sales@elevatorequipment.co.uk



FAX: 0116 266 2242
www.elevatorequipment.co.uk