

INDUSTRIAL GEAR OIL 150 EP



#### **Page:** 1

Compilation date: 12/10/2017

Revision No: 1

# Section 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

## Product name: INDUSTRIAL GEAR OIL 150 EP

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### 1.3. Details of the supplier of the safety data sheet

- Company name: Trent Oil Lubricants Ltd
  - Phoenix House Kemmel Road Bulwell Nottingham NG6 9FH United Kingdom Tel: +44 (0) 115 927 9166 Fax: +44 (0) 115 927 9982 Email: sales@trentoil.co.uk

# 1.4. Emergency telephone number

Emergency tel: +44 (0) 115 927 9166

(office hours only)

### Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP: Skin Sens. 1A: H317

Most important adverse effects: May cause an allergic skin reaction.

### 2.2. Label elements

Label elements:

Hazard statements: H317: May cause an allergic skin reaction.

Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

Precautionary statements: P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of water/soap.

## INDUSTRIAL GEAR OIL 150 EP

Page: 2

P321: Specific treatment (see instructions on this label).

P333+313: If skin irritation or rash occurs: Get medical attention.

2.3. Other hazards

### **PBT:** This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

## 3.2. Mixtures

### Hazardous ingredients:

### AMINES, C12-14-TERTALKYL, MONO (2-ETHYLHEXYL) - REACH registered number(s): 01-2119456798-18

| EINECS    | CAS        | PBT / WEL | CLP Classification   | Percent |
|-----------|------------|-----------|--|---------|
| 273-279-1 | 68955-53-3 | -         | Acute Tox. 4: H302; Acute Tox. 2: H330;<br>Skin Corr. 1B: H314; Eye Dam. 1:<br>H318; Skin Sens. 1A: H317; Aquatic<br>Acute 1: H400; Aquatic Chronic 1:<br>H410 | 0.200%  |

# Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

### Section 5: Fire-fighting measures

# 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

## INDUSTRIAL GEAR OIL 150 EP

Page: 3

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

# Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

Turn leaking containers leak-side up to prevent the escape of liquid.

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

# 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS. Refer to section 13 of SDS.

# Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Avoid the formation or spread of mists in the air.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

### **DNEL/PNEC** Values

DNEL / PNEC No data available.

#### 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

### INDUSTRIAL GEAR OIL 150 EP

Page: 4

# Skin protection: Impermeable protective clothing.

# Section 9: Physical and chemical properties

| 9.1. Information on basic physical and chemical properties |  |                      |
|--|--|----------------------|
| State:   | Liquid   |                      |
| Colour:  | Bright Amber   |                      |
| Odour:   | Characteristic odour                                     |                      |
| Evaporation rate:  | No data available.                                       |                      |
| Oxidising:   | No data available.                                       |                      |
| Solubility in water:                                       | Insoluble  |                      |
| Kinematic viscosity:                                       | 150  |                      |
| Viscosity test method:                                     | Kinematic viscosity in 10-6 m2/s at 40°C (ISO 3104/3105) |                      |
| Boiling point/range°C:                                     | No data available. Melting point/range°C                 | : No data available. |
| Flammability limits %: lower:                              | No data available. upper                                 | : No data available. |
| Flash point°C:   | >200 Part.coeff. n-octanol/water                         | : No data available. |
| Autoflammability°C:  | No data available. Vapour pressure                       | : No data available. |
| Relative density:  | 0.893 PH   | : No data available. |
| VOC g/l:   | No data available.                                       |                      |

9.2. Other information

Other information: No data available.

# Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

# **10.6. Hazardous decomposition products**

Haz. decomp. products: In combustion emits toxic fumes.

### INDUSTRIAL GEAR OIL 150 EP

### Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### **Relevant hazards for product:**

| Hazard                         | Route | Basis                 |
|--------------------------------|-------|-----------------------|
| Respiratory/skin sensitisation | -     | Hazardous: calculated |

### Excluded hazards for substance:

| Hazard                        | Route | Basis                 |
|-------------------------------|-------|-----------------------|
| Acute toxicity (ac. tox. 4)   | -     | No hazard: calculated |
| Acute toxicity (ac. tox. 3)   | -     | No hazard: calculated |
| Acute toxicity (ac. tox. 2)   | -     | No hazard: calculated |
| Acute toxicity (ac. tox. 1)   | -     | No hazard: calculated |
| Skin corrosion/irritation     | -     | No hazard: calculated |
| Serious eye damage/irritation | -     | No hazard: calculated |
| Germ cell mutagenicity        | -     | No hazard: calculated |
| Carcinogenicity               | -     | No hazard: calculated |
| Reproductive toxicity         | -     | No hazard: calculated |
| STOT-single exposure          | -     | No hazard: calculated |
| STOT-repeated exposure        | -     | No hazard: calculated |
| Aspiration hazard             | -     | No hazard: calculated |

# Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: Exposure may cause coughing or wheezing.

Delayed / immediate effects: Delayed effects can be expected after long-term exposure.

# Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

# 12.2. Persistence and degradability

Persistence and degradability: Not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

# INDUSTRIAL GEAR OIL 150 EP

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

# 12.6. Other adverse effects

Other adverse effects: No data available.

# Section 13: Disposal considerations

| 13.1. Waste treatment methods |   |  |
|-------------------------------|---|--|
| Disposal operations:          | Transfer to a suitable container and arrange for collection by specialised disposal |  |
|                               | company.  |  |
| Recovery operations:          | Oil re-refining or other reuses of oil.   |  |
| Disposal of packaging:        | ng: Arrange for collection by specialised disposal company.                         |  |
| NB:                           | The user's attention is drawn to the possible existence of regional or national     |  |
|                               | regulations regarding disposal.   |  |

# **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

# Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

# Section 16: Other information

# Other information

| Other information:           | This safety data sheet is prepared in accordance with Commission Regulation (EU) No      |  |
|------------------------------|--|--|
|                              | 2015/830.  |  |
|                              | * indicates text in the SDS which has changed since the last revision.                   |  |
| Phrases used in s.2 and s.3: | H302: Harmful if swallowed.  |  |
|                              | H314: Causes severe skin burns and eye damage.   |  |
|                              | H317: May cause an allergic skin reaction.   |  |
|                              | H318: Causes serious eye damage.   |  |
|                              | H330: Fatal if inhaled.  |  |
|                              | H400: Very toxic to aquatic life.  |  |
|                              | H410: Very toxic to aquatic life with long lasting effects.                              |  |
| Legal disclaimer:            | The above information is believed to be correct but does not purport to be all inclusive |  |
|                              | and shall be used only as a guide. This company shall not be held liable for any         |  |
|                              | damage resulting from handling or from contact with the above product.                   |  |
|                              |  |  |