


# ANEP BOX-TA+ EMERGENCY PHONE FOR LIFTS









## ANEP BOX-TA+ EMERGENCY PHONE FOR LIFTS

### F FIELDS OF APPLICATION

• Hoist - Lift - Car elevator - Platform.

#### GENERAL INFORMATION

- Three point emergency phone system
- Technician alarm acknowledge button to signal the end of an alarm.
- Yellow/green indicator outputs (Regulation EN 81-28 & 81 -70)
- Integrated audio inductive loop amplifier (BIM). (Regulation EN 81-28 & 81 -70)
- Automatic gain adjustment
- Verification of installation using ANEP voice server (SVA)
- Periodic test between 1 and 3 days
- Periodic calls are dispatched evenly throughout the day by ANEPCenter
- Verification of parameters during the periodic call.
- Local or remote programming
- Connection via PSTN or GSM gateway
- online identification of the location of the call
- Voice synthesis : message broadcasted in several languages (max 5) when the alarm is triggered
- Integrated siren activated following the alarm triggering
- Ability to communicate in P100 Protocol
- Ability to program 3 telephone numbers for an alarm

#### + TECHNICAL CHARACTERISTICS

#### Dimensions :

ΤA

TA+

- H = 55 mm W = 110 mm D = 210 mm
- Weight : 350 g



