

**British Standard:**

BS EN 50085-1:2005  
BS EN 50085-2-1:2006  
VDE Testing and Certification Institute  
Test Certificate No. 40040200\*

**Material Specification:**

British Standard: BS EN 10346:2015.

**Finish:**

Pre Galvanised

**Ordering Information:**

- Please refer to the following pages or alternatively visit our website below:

<http://www.trenchltd.com>

**Product Information: Standard**

- Outlet flange fitted with captive nuts
- Suits single & multi compartment trunking & accs
- Not supplied with fixing screws
- Product is trunking height dependant

**Product Information: Tamperproof**

- Outlet flange fitted with captive nuts
- Screws M5x8 T25 Resistorx supplied

**Packing Detail: Standard**

- 1 x outlet flange

**Packing Detail: Tamperproof**

- 1 x outlet flange c/w fixings  
(M5 Black Spring Clips, M5x8 T25 Resistorx Screws) supp loose

**Other Options Available:**

- Powder Coated
- Alternative Height/Material Thickness

\* See Technical Data Sheet / Cable Trunking / Pre Galvanised / Lengths / Test Results for Test Data

## Cable Trunking / Pre Galvanised / Accessories / Outlet Flange / Ordering Information / Page 2 of 3

### Standard

Use the codes in the table on page 3 - please note outlet flanges are suitable for both single & multi compartment trunking & accessories and are always height dependant. For example if you require an outlet flange to suit 100mm wide x 50mm high trunking single/ twin or multi compartment the correct code would be **SA2OF**.

### Tamperproof Accessories

Use the ordering information in the table on page 3 alongside the ordering information above and suffix the code with **-SEC**  
For example if you require an outlet flange for a 2 equal compartment trunking 100mm wide x 50mm high tamperproof the correct code would be **SA2OF-SEC**

### Powder Coated

Please ensure that when requesting a quotation for powder coated products that you have the correct quantities, RAL number and finish (i.e. matt or gloss) in order for us to quote accordingly.

Please note product codes for powder coated items are Non-Standard, however, dimensions & weights on page 3 are still applicable.

Product Code Standard	Dim A (mm) To Suit Height	Dim B (mm)	Dim C (mm)	Dim D (mm)	Weight (kg)
SA20F	50	25	N/A	N/A	0.04
SA30F	75	25	N/A	N/A	0.06
SA40F	100	25	N/A	N/A	0.08
SA60F	150	25	N/A	N/A	0.11
SA80F	200	25	N/A	N/A	0.19
SA90F	225	25	N/A	N/A	0.21
SA120F	300	25	N/A	N/A	0.28

Approximate weights shown are a nominal value due to material thickness and tolerance and includes fixings where applicable. See Page 2 for Powder Coating Information.

Please Note on SA20F only 1 M5 Captive Nut

